



Get NCBI BLAST databases

Created: June 23, 2008; Updated: May 16, 2024.

The best way to obtain BLAST databases is to download them from NCBI or cloud providers (currently from Google Cloud Platform and Amazon Web Services). These are the same databases available via the public BLAST Web Service (<https://blast.ncbi.nlm.nih.gov>), are updated regularly, and contain taxonomic information built into them. These can also be a source of biological sequence data (see below).

To download a preformatted NCBI BLAST database, run the `update_blastdb.pl` program followed by any relevant options and the name(s) of the BLAST databases to download. For example:

```
$ update_blastdb.pl --decompress nr [*]
```

This command will download the compressed `nr` BLAST database *from NCBI* to the current working directory and decompress it. **Any subsequent identical invocations of this script with the same parameters in that directory will only download any data if it has a different time stamp when compared to the data at NCBI.**

The `update_blastdb.pl` script can determine if you are calling it from within a cloud provider and will automatically download from the appropriate cloud bucket.

If you would like to see what BLAST databases are available to download, please run:

```
$ update_blastdb.pl --showall [*]
```

For more information on available NCBI BLAST databases, please see <https://go.usa.gov/xPhky>. For a demo of this tool, please see <https://bit.ly/2UA7tYb> (external link).

To verify that the BLAST database download was successful, please see [How to check BLAST database integrity?](#)

For more details about what command line options this tool supports, please run:

```
$ update_blastdb.pl --help
```

If you need FASTA from these BLAST databases, you can obtain it as follows:

```
$ blastdbcmd -entry all -db nr -out nr.fsa
```

If you need FASTA for selected sequence(s) from these BLAST databases, you can obtain it as follows (the sequence of interest is identified by the accession `u00001` in this example):

```
$ blastdbcmd -entry u00001 -db nr -out u00001.fsa
```

[*] If you run into any problems with this invocation, please try the `-passive` option, which is enabled by default in BLAST+ 2.8.1 and following. The `--decompress` option is only needed if the source data comes from NCBI