

4.1.4. Contrast-associated acute kidney injury

Figure 2: Mehran risk score (cut-off: >5) for the prediction of CA-AKI




Figure 3: Mehran risk score (cut-off: >7) for the prediction of CA-AKI




Figure 4: Mehran risk score (cut-off: ≥10) for the prediction of CA-AKI




Figure 5: Victor risk score (cut-off: 10%) for the prediction of CA-AKI



Figure 6: GRACE score (cut-off: >142) for the prediction of CA-AKI




Figure 7: GRACE score (cut-off: >160) for the prediction of CA-AKI







Figure 8: CH2DS2-VASc score (cut-off: ≥ 4) for the prediction of CA-AKI**Figure 9: Zwolle score (cut off: >2) for the prediction of CA-AKI****Figure 10: Lei risk score (cut-off: >129) for the prediction of CA-AKI**


Figure 11: Mehran risk score (cut-off: >5) for the prediction of CA-AKI


Figure 12: AUC (95%CI) of the Mehran risk score


Figure 13: AUC (95%CI) of the Marenzi risk score

Figure 14: AUC (95%CI) of the Bartholomew risk score





Figure 15: AUC (95%CI) of the Ghani risk score


Figure 16: AUC (95%CI) of the Ando risk score

Figure 17: AUC (95%CI) of the Gurm (reduced model) risk score





Figure 18: AUC (95%CI) of the Inohara risk score


Figure 19: AUC (95%CI) of the Tziakas risk score

Figure 20: AUC (95%CI) of the ACEF risk score